



TORK - U.j.Cross -Product Range & MRP - 19.08.2023

CODE	DESCRIPTION	SERIES	SPICER /SVL - REF	MRP	Coupon (Rs)
PSS010HD	U.J.Cross 1312/1612 - 46.05 x 68.70 mm	-	VDUJEQ90L122	1300	20
PSS033HD	U.J.Cross 1210/SE/609 /709 - 38x57 mm	Inner-Lock		810	nil
PSS033DL	U.J.Cross 1210/SE/609 /709 - 38x57 mm	Double - lock		830	nil
PSS058HD	U.J.Cross 407/Sumo-O/M 30.04 x 81.80mm			605	10
PSS067HD	U.J.Cross 407 Pick-Up E-11.14/B.B.912-35x106	LCV-55 SERIES	SDUJ055L106	930	20
PSS078HD	U.J.Cross Ace-Magic HD 22 x 55 - O/L			480	10
PSS105HD	U.J.Cross 2515 Ex - 41.28x126 mm	SPL -90	VDUJ0090L126	1350	30
PSS131HD	U.J.Cross Tusker / 1109Ex / E-Comet 34.92x126	1550	VDUJ1550L126	1040	20
PSS174HD	U.J.Cross - Canter / T-709Turbo- 30.18x106	1410	VDUJ1410L106	820	10
PSS194HD	U.J.Cross Ley-2516 Tc - 41.28x126mm	SPL -90	VDUJ0090L126	1350	30
PSS709HD	U.J.Cross Jeep Dsl/ Ley -Dost - HD 27x81.80 mm	1310	VDUJ1310L83M	580	10
PSS726HD	U.J.Cross 2518/T-1616/1613 Turbo 42x120mm	RSB -325	VDUJ0325L119	1100	30
PSS728HD	U.J.Cross 2518 - H/D 42x129mm O/L	RSB -403	VDUJ0403L129	1390	30
PSS736HD	Cross 4018 -49.20x154.90 - with -Patti & Bolt	1710	VDUJ1710L173	2350	30
PSS802HD	U.J.Cross 4018 L/T - HD 48x135mm - O/L	RSB - 490	VDUJ0490L135	1730	30
PSS1050GL	U.J.Cross - Maruti-Van / Eeco Versa G/L - 25x40			610	10
PSS1151C	U.J. Cross L-3123 U Truck 52x147 mm -HD	RSB - 590/ SPR-2045	SDUJ2045L147R	2750	30
PSS1317HD	U.J.Cross 2040 Series - 47.68 x 135mm	2040	SDUJ2040L135L	1730	30
PSS1401	U.J.Cross -Mega / Dicor / Ace-Intra- 25x64mm	1125		610	10

UNIVERSAL JOINT CROSS

TORK



46.05 × 68.70 mm – I/L

PSS010 HD

TATA 1213/1612/1616



38.05 × 56.70 mm – I/L

PSS033 OE

TATA 1210/SE



30.04 × 81.80 mm – O/L

PSS058 HD

TATA 407



MSL-1480 - 35 × 106 mm – O/L

PSS067 HD

407 Pick Up/JCB 3DX



30.18 × 92 mm – O/L

PSS068 HD

407 Turbo MSL/410 MSL/DCM/412



26 × 87 mm – O/L

PSS074 A

ACE Mint



Spicer 1000 - 22 × 55 mm – O/L

PSS078 HD

TATA ACE MAGIC



SPL90 – 41.28 × 126 mm – O/L

PSS105 HD

2515 EX H.D (Rear Joint)



39.70 × 116 mm – O/L

PSS130 HD

LEY 370/Bedford J-4



SPICER(1550)-34.92 × 126 mm – O/L

PSS131 HD

LEY Tusker/1109 EX/E-Comet/712
Marco Polo



47.64 × 135 mm – O/L

PSS158 HD

Taurus/3516/Eicher Galaxy



Spicer(1410) – 30.18 × 106 mm- O/L

PSS174 HD

Canter N/M/LEY Cargo 709/TATA
709 Turbo



SPL90 - 41.28 × 126 mm - O/L

PSS194 HD

2516 LEY TC/Echer 35.31/33.25/
LEY 2214



1310 Series - 27 × 81.80 mm - O/L

PSS709 HD

JEEP Diesel/LEY Dost/Ace Super/
Pik Up



1310 Series - 27 × 81.80 mm - O/L

PSS709 GHD

JEEP Diesel/LEY Dost/Ace Super/
Pik Up (GREASELESS)



RSB 325 - 42 × 120 mm - O/L

PSS726 HD

TATA 2518 cEX/1616 BS III/1613
Turbo/LPK - 2516



RSB 403 - 42 × 129 mm - O/L

PSS728 HD

TATA - LEY 2518 EX/2515/1612
Turbo/1616 BS III



1710 series - 49.22 × 154.90 mm

PSS736 HD

TATA - LEY 4018/3118/AMW -2523
(Rear) Patti Type



23.82 × 61.30 mm - O/L

PSS754 HD

Ambasador



30.04 × 81.8 mm

PSS765 HD

Minidor/ Trax N-M/TATA Max
(Side Nipple)



RSB 490 - 48 × 135 mm - O/L

PSS802 HD

TATA 4018 Lock Type/LEY - 4921/
AMW - 2523 (Front)



RSB 590 - 52 × 147 mm - O/L

PSS1151 C

TATA LEY - 3123 U Truck/T-4928 -
S-Prima



52 × 147 mm

PSS1151 CG

2045/2047/590 Series
(GREASELESS)



SPICER(1800) - 57 × 144 mm

PSS1151 D

AMW Big /TATA/MAAN



RSB 620 - 57 × 152 mm

PSS1151 E

TATA 4923
Spicer, 2055 Series



SPICER(2040) - 47.68 × 135 mm

PSS1317 HD

TATA Prima 3123/TATA – LPS 4923
/LPK 3118/LPT 3721/AL 3119/
B.BENZ 2523



SPICER(2040) - 47.68 × 135 mm

PSS1317 GL

TATA Prima 3123/TATA – LPS 4923
/LPK 3118/LPT 3721/AL 3119/
B.BENZ 2523 (GREASELESS)



52 × 133 mm

PSS1325 HD

AMW Small



59 × 167.70 mm

PSS1400

2060 SERIES



25 × 40 mm

PSS1050 GL

Maruti Van/Eeco Versa GREASLESS



TORK - Ring Gear - Product Range -- GST 18%

WEF: : August - 2023

Code	Nos of teeth	Application	M.R.P
PSS301T	Ring Gear 125T Tempered	SE/GB-40	1165
PSS308T	Ring Gear 138T Tempered	2515TC /TIPPER /AMW	1060
PSS310T	Ring Gear - 146T Tempered	TC-2516 N/M	1050
PSS329T	Ring Gear - 110T - Tempered	JEEP DSL / B-275 TRACTOR	870
PSS329N	Ring Gear - 144T - with Collar Tempered	ULTRA - MODEL / Tata-1518	1970

 Tempered 125 Teeth 381 x 335 (16 mm Thick) PSS301 T TATA SE/GB-40/1109	 Tempered 114 Teeth 347 x 304 (16 mm Thick) PSS303 T TATA 407/ Spacio	 Tempered 159 Teeth 408 x 383 (14 mm Thick) PSS304 T 1312 TC/ 1612 TC	 Tempered 138 Teeth 444 x 412 (16 mm Thick) PSS308 T 2515 TC N/M /2515 Tipper/AMW
 Tempered 146 Teeth 441 x 412 (16 mm Thick) PSS310 T 2515 TC AC/2518 TC	 Tempered 96 Teeth PSS316 T Maruti Van	 140 Teeth 428 x 392 (15 mm Thick) PSS318 Eicher Jumbo	 Tempered 127 Teeth PSS329 J Prees Type CUMMINS/ JCB LOADER-Without
 Tempered 145 Teeth PSS329 K Eicher Pro/ Eicher 5016 - Thick	 Tempered 149 Teeth 475 x 435 (23 mm Thick) PSS329 L TATA PRIMA	 Tempered 145 Teeth 445 x 410 (13 mm Thin) PSS329 M Mah - Navistar - Thin	 Tempered 144 Teeth PSS329 N Ultra - Model/TATA - 1518 With Collar
 Tempered 160 Teeth PSS329 P Bharat Benz	 Tempered 126 Teeth 405 x 370 (16 mm Thick) PSS329 Q E-Comet	 Tempered 114 Teeth 350 x 315 (15 mm Thick) PSS329 R Bharat Benz / Eicher	 Tempered 110 Teeth PSS329 T Jeep Diesel / B-275 Tractor
 Tempered 146 Teeth 443 x 392 (16 mm Thick) PSS329 U Bharat Benz	 Tempered 124 Teeth 379 x 343 (15 mm Thick) PSS329 V Eicher 11.10	 Tempered 144 Teeth PSS329 X Ultra N/M (With Splines on Collar)	